



Increasing and Improving Physical Education and Physical Activity in Schools: Benefits for Children's Health and Educational Outcomes

Position


Physical education in the nation's schools is an important part of a student's comprehensive, well-rounded education program and a means of positively affecting life-long health and well-being. At a minimum, the physical education program should provide physical activity to enhance current health while teaching knowledge and skills that foster a long-term commitment to physical activity as part of a healthy lifestyle that will help children prevent numerous conditions, including abnormal cholesterol, high blood pressure, hyperglycemia, obesity, and ultimately heart disease as well as a host of other non-communicable diseases and mental health problems. The American Heart Association, the American Cancer Society Cancer Action Network, and the American Diabetes Association advocate for more frequent, effective physical education in all schools. Optimally, physical education will engage students in health-promoting physical activity for at least half of class time and teach them the knowledge and skills necessary for lifelong physical activity. Physical education should be supplemented, but not replaced, by additional physical activity opportunities including classroom physical activity breaks, active learning, intramurals, afterschool programs, and recess. School districts should be held accountable for offering effective physical education and providing other opportunities for students to be physically active during the school day. Students should be assessed for their knowledge gain in physical education and physical fitness status and improvement over time. In addition, schools should report these results to the district and appropriate state agency in an aggregate manner and make these data available to the public.

The Importance of Physical Education

Physical education has been the cornerstone of providing physical activity in American schools for over a century. Furthermore, it teaches students the basics of physical literacy and how to integrate exercise into their lives in order to establish a lifetime of healthy living. Regular physical activity is associated with a healthier, longer life and with a lower risk of heart disease, high blood pressure, diabetes, obesity, mental health problems and some cancers.¹ The *2008 Physical Activity Guidelines for Americans*² and national public health organizations, including the American Cancer Society,³ the American Heart Association,⁴ the American Diabetes Association, and the Society of Health and Physical Educators (SHAPE America) and the Institute of Medicine⁵ recommend that children engage in at least 60 minutes of physical activity each day and at least 30 minutes of this should be in school. Physical education should be an important source of that physical activity time. The American Heart Association, the American Cancer Society Cancer Action Network, the American Diabetes Association, SHAPE America as well as other national groups including the National Association of State Boards of Education (NASBE), the Centers for Disease Control and Prevention and the Institute of Medicine recommend 150 minutes of physical education each week for children in elementary school and 225 minutes per week for middle school and high school. At least 50 percent of physical education class time should be spent in moderate to vigorous physical activity.

Physical inactivity has now been described as a pandemic with far-reaching health, economic, environmental, and social consequences.⁶ According to the World Health Organization, rising levels of physical inactivity have led to adverse health consequences and are the fourth leading risk factor for global mortality.⁷ Physical inactivity is the principal cause of burden for 21-25 percent of breast and colon cancer, 27 percent of diabetes, and 30 percent of ischemic heart disease.⁸ The prevalence of childhood obesity has more than doubled in children and quadrupled in adolescents in the past 30 years.^{9,10} In a comparison of objectively measured physical activity of youth in 10 countries, U.S. children had the lowest amount of physical activity, half the amount of the highest country.¹¹ Unfortunately, many youth are increasingly sedentary throughout their day, meeting neither physical education nor national physical activity recommendations. Physical education in schools has been decreasing in recent years.¹² Only 3.8 percent of elementary, 7.9 percent of middle, and 2.1 percent of high schools provide daily physical education or its equivalent for the entire school year.¹³ Twenty-two percent of schools do not require students to take any physical education at all.² Nationwide, only 48.0 percent of high school students attend at least some physical education classes in any of their grades and 29.4 percent of those students have daily physical education.¹⁴ Recent analysis shows that physical education continues to decline in schools while opportunities for school-based sports programs have increased for some students.¹²

Figure 1. The relationships between physical activity, health-related fitness and health²⁰



2

the lack of this requirement, more than 90 percent of students are in school districts with wellness policies that address physical education. However, only 10 percent of students are enrolled in a district with a wellness policy that requires students to engage in moderate to vigorous physical activity for at least half of physical education class time.²¹ Only six percent of elementary school students and two percent of middle and high school students are in a locally-regulated school district with a wellness policy that requires 150 minutes per week of physical education at the elementary level and 225 minutes per week of physical education at the middle and high school level.²¹

There is strong public support for increasing physical education in schools. The vast majority (95 percent) of parents of children under 18 think physical education should be part of a school curriculum for all students in grades K-12.²² The majority of parents (ranging from 54 percent to 84 percent) also believe that physical education is at least as important as other academic subjects, depending on the subject being compared.²² Numerous professional associations, medical societies, and government agencies formally support the need for physical activity for youth and for quality physical education in schools.²³

Overview of the Evidence on Outcomes of Physical Education

A large number of studies have focused on the impact of improving physical education in schools by updating physical education curricula, increasing the number of classes offered, and improving teacher training, often in coordination with additional educational or home-based components.^{24,25,26,27,28,29,30} In a systematic review of research on activity time in physical education programs, findings indicated that students' aerobic and physical fitness levels improved in programs that intentionally increased the amount of student physical activity time.^{29, 31,32,33,34} Compliance with state physical education laws or regulations where states have requirements for the time in physical education is critical for realizing improvement in student fitness.²⁹ The benefits of modifying the school physical education curricula are experienced across diverse racial, ethnic, and socioeconomic groups, among boys and girls, elementary- and high-school students, and in urban and rural settings.³⁵ Comprehensive physical activity programs in schools including physical education have demonstrated improvement in alleviating risk factors for cardiovascular disease and diabetes as well as other chronic disease.^{36, 37,33, 38,39}

The Whole School, Whole Community, Whole Child Model⁴⁰, which expands on the eight elements of the Centers for Disease Control and Prevention's coordinated school health approach, of which physical education is a central component, will augment prevention efforts and help improve fitness, academic performance, mental health, physical health and well-being across the school environment. A growing body of evidence demonstrates that the benefits of physical education exist beyond the classroom. Physical fitness and participating in sports and physical activity can have a positive impact on cognitive ability, avoiding tobacco use, and reducing insomnia, depression, and anxiety.^{2 41} Physically fit children have higher scholastic achievement, better classroom behavior, greater ability to focus, and less absenteeism than their unfit counterparts.^{42-44,45, 46} Research indicates that physical fitness is an even better predictor of academic achievement than body mass index (BMI).⁴⁷ School-based physical activity correlates with the improved academic performance and may be an important strategy to address health disparities and achievement gap.^{48-50,51,52,53,54,55,56,57 58} Several large-scale studies found improvements in students' academic performance and cognitive ability with increased time spent in physical education, especially when taught by certified, licensed teachers.^{59 60 61 62} Additionally, children who spent time in physical education in place of a classroom activity performed no worse academically than students not enrolled in physical education.^{63 64}

Studies have demonstrated the feasibility of conducting, recording, and reporting annual school-based assessments of cardiorespiratory fitness⁶⁵ and such fitness assessments can be a valuable supplement to BMI assessment.⁶⁶ These data can be provided on reports to students and parents and reported in an

aggregate manner to the local district and relevant state agencies as a means of conducting public health surveillance on youth fitness status across the population, convincing policy makers of the need for robust physical education in schools, and tailoring programming and interventions to meet the needs of students.⁶⁷

Quality and Quantity of Physical Education

Physical education should be a cornerstone for a total of 60 minutes of physical activity before, during and after the school day. Physical education is the only physical activity-related policy or program that can reach and benefit all students – including students with disabilities. Under the Individuals with Disabilities Education Act (IDEA) and Rehabilitation Act regulations, schools must generally provide a free and appropriate public education that enables students to participate in physical education in the least restrictive environment. Adapted physical education must be provided when a student's Individualized Education Plan or Section 504 Plan includes it.

Physical education policy should prioritize a quality, standards-based approach while, simultaneously and/or subsequently, trying to increase the amount of time physical education is offered in schools. According to national recommendations, a physical education program should enhance the physical, mental, and social/emotional development of every child and incorporate fitness education and assessment to help children understand, improve and/or maintain their physical well-being.

The core components of physical education are a curriculum that meets the National Standards and Grade-Level Outcomes for K-12 Physical Education taught by a licensed, certified physical education teacher in a setting with adequate equipment and facilities where the pupil-teacher ratio is equivalent to that in other classrooms and where students are active for at least 50 percent of class time.⁶⁸ Certified physical educators should also serve as school-site physical activity leaders that promote physical activity both within and beyond the regular school day.

A comprehensive self-assessment of physical education programs, such as the Physical Education Curriculum Analysis Tool (PECAT), can provide schools with important information about their alignment with national standards for curriculum content and student assessment. Robust assessments and evaluations help identify curriculum changes designed to deliver high quality physical education to students.

Increasing School-Based Physical Activity

In addition to physical education, other opportunities exist to increase the level of physical activity at school. Classroom-based physical activity, recess, active transportation policies that encourage safe walking or biking to and from school, intramural, club, and sports activity programs, and other types of before and after school physical activity opportunities should supplement physical activity provided through physical education. Shared use policies that make physical activity facilities available to the community during out-of-school time should also be in place to facilitate physical activity outside of school hours. Increasing other school-based physical activity should not be an excuse to cut or substitute for the quantity of physical education.⁶⁹ Physical activity is neither an equivalent to nor substitute for physical education, but both can contribute meaningfully to the development of healthy, active children.⁷⁰ According to SHAPE America, physical activity is bodily movement of any type and may include recreational, fitness, and sport activities such as jumping rope, playing soccer, lifting weights, as well as daily activities such as walking to the store, taking the stairs, or raking leaves.⁷¹

In addition to their health benefits, physical activity breaks can improve children's cognitive functioning and attention and behavior in the classroom and they are effective in high risk populations.^{72,51,73,74 58} In

order for classroom teachers to carve out time for these physical activity breaks, schools should optimally have policies in place requiring them as part of the daily schedule and should provide training to teachers on how to conduct them.⁷⁵ Structured physical activity during recess can increase the time students are active and also reduce bullying.⁷⁶

Physical activity must be moderate to vigorous and occur for an adequate duration to provide health benefits.² Walking between classes and occasional field trips should not count toward meeting regular physical activity requirements. It is recommended that school-age children, including those with disabilities, accumulate at least 60 minutes per day of physical activity and avoid prolonged periods of inactivity.

Specific Policy Recommendations:

Standards-based Curriculum

- Require states to adopt physical education curriculum standards that are aligned with national standards and are systematically reviewed and updated.
- Require all school districts to develop and implement a planned, K-12 sequential physical education curriculum that adheres to national and state standards for physical education and includes a comprehensive student assessment program.

Accountability

- States should require school districts and schools to complete comprehensive self-assessments of their physical education program and physical activity offerings using the School Health Index at regular intervals consistent with state and district assessment. The results of the assessment should be integrated into the district or school's long-term strategic planning, School Improvement Plan, or school wellness policy, to address the quality and quantity of physical education offered.³¹
- As part of this assessment, schools should report the following:
 - How many students are taking physical education
 - How many days per year students are taking physical education
 - How many total minutes of physical activity per week
 - How many class periods per week of physical education
 - Whether the school and/or district has adopted metrics for assessing their physical education program
 - Whether there are requirements for fitness, cognitive, and affective assessment in physical education that are based on student improvement and knowledge gain
 - Implementation of the Presidential Youth Fitness Program and using Fitnessgram
 - How many of the district's physical education teachers are licensed, certified, and endorsed to teach physical education, show plans for ensuring all physical education teachers get these credentials, and show progress for meeting these teaching quality goals.
- States should require school districts and schools to report the findings of their self-assessment and fitness testing to the appropriate state agency in an aggregate manner and to parents and members of the community through typical communication channels such as websites, school newsletters, school board reports, and presentations. Schools and school districts should also review the aggregate fitness test results with the self-assessment of the programs they are offering in order to determine if additional or improved programming is needed.

Licensed, Certified Teachers and Professional Development

- Require all physical education teachers to be certified, licensed and endorsed to teach physical education and provide grants to districts to assure their physical education teachers receive adequate professional development specific to their field on an annual basis, especially districts serving at-risk students and minority populations.
- Integrate public health into professional development, educating members of the profession on their role within the public health model.
- Require teachers to keep current on emerging technologies, model programs, and improved teaching methods.

Physical Education as part of the Curriculum

- Incorporate physical education as a core academic subject.
- Physical education teachers should coordinate the physical activity initiatives that are integrated throughout the school day. Teachers should use physical education homework to extend time spent in physical activity and knowledge gain.

Recommended Time for Physical Education and Physical Activity

- Require school districts and schools provide all students with 150 minutes per week of physical education in elementary schools and 225 minutes per week in middle schools and high schools. Achieve best practice of students being physically active for at least 50 percent of physical education class time.
- Provide adequate physical education and other physical activity opportunities to facilitate school-age children accumulating at least 60 minutes of physical activity before, during and after school and avoiding prolonged periods of inactivity. The key method for achieving this goal is physical education supplemented by additional physical activity opportunities throughout the day.⁵
- Require physical education credit(s) for graduation from high school with appropriate accommodations and considerations for children with disabilities and medical conditions.

Adequate Resources for Physical Education

- Hire a physical education coordinator at the state level to provide resources and offer support to school districts across the state.
- Hire a physical education administrator in the school district to provide support to physical educators in the school district.
- Assure that physical education programs have appropriate equipment and adequate facilities and appropriate student-teacher ratios since research shows that increasing access to human and material resources during class enhances the opportunity for students to engage in the recommended amount and intensity of physical activity.⁷⁷
- Support federal funding for the Carol M. White Physical Education for Progress Grants and require robust outcome evaluation that assesses levels of physical education and physical activity in the target population including the number of students who meet the 60 minutes of daily physical activity and the number of students who meet the threshold for healthy fitness zone in five of the six areas in Fitnessgram. Ask the Department of Education to have a third party conduct external evaluation of some sample of the schools that includes pre- and post-measures of activity, fitness status and improvement, knowledge gain, and facilities improvement.

Waivers/Substitutions

- Disallow automatic waivers or substitutions for physical education.
- Disallow the ability of states, school districts, schools, teachers, and coaches to assign or withhold physical activity as punishment.

- Do not allow waivers for students with disabilities, but rather allow modifications or adaptations that allow physical education courses to meet the needs of disabled students.
- Do not allow students to opt out of physical education to prepare for other classes or standardized tests.

Conclusion

The American Heart Association, the American Cancer Society Cancer Action Network, and the American Diabetes Association will continue to support standards-based, robust, more frequent physical education and physical activity in schools. By addressing physical education across the country—the educational component as well as the amount of activity and time spent—policymakers, decision makers, and teachers will maximize children’s potential for a lifetime of physical activity, health, and wellness.

Approaches in Legislation for Improving Student Physical Fitness in Schools through Physical Education and Physical Activity

Mandatory physical education <ul style="list-style-type: none"> • Using a planned, sequential K-12 physical education curriculum that adheres to national and state standards to implement physical education. • Adequate equipment, facilities, student-teacher ratios • No waivers, substitutions, exemptions • Taught by licensed, certified physical education teachers • Annual professional development for physical education teachers that is specific to their field and integrates the public health model • No waivers for students with disabilities, but rather allow modifications or adaptations that allow physical education courses to meet the needs of disabled students • Fitness and cognitive assessment in physical education that is reported to parents for individual student progress and to the community and relevant state agencies in an aggregate manner • Require 150 minutes of physical education per week in elementary school and 225 minutes per week of physical education in middle school and high school
School-based Physical Activity <ul style="list-style-type: none"> • Daily use of classroom physical activity breaks • An implemented school wellness policy that establishes requirements for physical activity and physical education • An active transportation policy to and from school • Daily elementary school recess for at least 20 minutes • A shared use policy that makes physical activity facilities available to the community during out of school time • Intramural/club/sports activities provided by the school/district
Assessment/Accountability <ul style="list-style-type: none"> • Fitness and cognitive assessment in physical education that is reported to parents for individual student progress and to the community and relevant state agencies in an aggregate manner • School-based comprehensive self-assessment of physical education programs and physical activity offerings using existing tools such as the Physical Education Curriculum Analysis Tool. The results of the assessment should be integrated into the school district or school’s long-term strategic planning and/or school improvement plan, and school wellness policy.

We are extremely grateful to the expert advisory group that helped develop this policy statement.

Expert Advisory Group Members:

Daniel Bornstein, Ph.D.	Assistant Professor - The Citadel
Jayne Greenburg, Ed.D.	District Director of Physical Education and Health Literacy for Miami-Dade County Public Schools, Member of the President's Council on Fitness, Sports, and Nutrition
Deborah Rohm Young, Ph.D.	Research Scientist III, Department of Research & Evaluation, Kaiser Permanente Southern California
Jim Sallis, Ph.D.	Distinguished Professor, Family and Preventive Medicine, University of California, San Diego
Russ Pate, Ph.D.	Professor, University of South Carolina Director, Children's Physical Activity Research Group
Charles Hillman, Ph.D.	Professor, Department of Kinesiology and Community Health, University of Illinois
Ted Vickey	Canyon Ranch Institute's Senior Advisor for Disruptive Health Technologies
Stephanie Canada-Phillips	Instructor of Kinesiology and Health Studies at University of Central Oklahoma and the president elect of the Oklahoma Association for Health, Physical Education, Recreation, and Dance.
Steve Mitchell, Ph.D.	Professor of Physical Education Pedagogy, Kent State University, Ohio; Past-president of the Ohio Association for Health, Physical Education, Recreation and Dance.
Maureen Cassidy	Vice-President Advocacy, Mid-west Affiliate, American Heart Association
Brett Stone	Associate Professor of Health and Physical Education at the University of the Ozarks
Carly Braxton	SHAPE America
Cathy Callaway	American Cancer Society Cancer Action Network
Melissa Maitin-Shepard	American Cancer Society Cancer Action Network
Regan Minners	American Diabetes Association
Bethe Gilbert Almeras	NEA Representative
Ross Arena	Professor, University of Illinois-Chicago
Shannon Michael	Centers for Disease Control and Prevention

AHA Staff Liaisons:

Laurie Whitsel, Ph.D.	Director of Policy Research
Ashley Bell	State Advocacy Consultant
Kristy Anderson	Government Relations Manager
Colby Tiner	Associate Policy Research Analyst

References

1. Eyre H, Kahn R, Robertson RM, Clark NG, Doyle C, Hong Y, Gansler T, Glynn T, Smith RA, Taubert K, Thun MJ, American Cancer S, American Diabetes A and American Heart A. Preventing cancer, cardiovascular disease, and diabetes: a common agenda for the American Cancer Society, the American Diabetes Association, and the American Heart Association. *Circulation*. 2004;109:3244-55.
2. Services DoHaH. 2008 Physical Activity Guidelines for Americans. 2008.
3. Kushi LH, Doyle C, McCullough M, Rock CL, Demark-Wahnefried W, Bandera EV, Gapstur S, Patel AV, Andrews K, Gansler T, American Cancer Society N and Physical Activity Guidelines Advisory C. American Cancer Society Guidelines on nutrition and physical activity for cancer prevention: reducing the risk of cancer with healthy food choices and physical activity. *CA: a cancer journal for clinicians*. 2012;62:30-67.
4. Pate RR, Davis MG, Robinson TN, Stone EJ, McKenzie TL, Young JC, American Heart Association Council on Nutrition PA, Metabolism, Council on Cardiovascular Disease in the Y and Council on Cardiovascular N. Promoting physical activity in children and youth: a leadership role for schools: a scientific statement from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism (Physical Activity Committee) in collaboration with the Councils on Cardiovascular Disease in the Young and Cardiovascular Nursing. *Circulation*. 2006;114:1214-24.
5. Medicine Io. Accelerating Progress in Obesity Prevention: Solving the Weight of the Nation. 2012.
6. Kohl HW, 3rd, Craig CL, Lambert EV, Inoue S, Alkandari JR, Leetongin G, Kahlmeier S and Lancet Physical Activity Series Working G. The pandemic of physical inactivity: global action for public health. *Lancet*. 2012;380:294-305.
7. Organization WH. Global health risks: mortality and burden of disease attributable to selected major risks. 2009.
8. Lee IM, Shiroma EJ, Lobelo F, Puska P, Blair SN, Katzmarzyk PT and Lancet Physical Activity Series Working G. Effect of physical inactivity on major non-communicable diseases worldwide: an analysis of burden of disease and life expectancy. *Lancet*. 2012;380:219-29.
9. Ogden CL, Carroll MD, Kit BK and Flegal KM. Prevalence of childhood and adult obesity in the United States, 2011-2012. *JAMA : the journal of the American Medical Association*. 2014;311:806-14.
10. Statistics NCfH. Health, United States, 2011: With Special Features on Socioeconomic Status and Health. 2012.
11. Hallal PC, Andersen LB, Bull FC, Guthold R, Haskell W, Ekelund U and Lancet Physical Activity Series Working G. Global physical activity levels: surveillance progress, pitfalls, and prospects. *Lancet*. 2012;380:247-57.
12. Office USGA. K-12 Education: School-based physical education and sports programs. 2012.
13. Lee SM, Burgeson CR, Fulton JE and Spain CG. Physical education and physical activity: results from the School Health Policies and Programs Study 2006. *The Journal of school health*. 2007;77:435-63.
14. Kann L, Kinchen, S., Shanklin, SL., Flint, KH., Hawkins, J., Harris, WA., Lowry, R., O'Malley Olsen, E., McManus, T., Chyen, D., Whittle, L., Taylor, E., Demmissie, Z., Brener, N., Thornton, J., Moore, J., Zaza, S. Youth Risk Behavior Surveillance - United States 2013. *MMWR Morbidity and mortality weekly report*. June 13, 2014;63.
15. Zhu W, Boiarskaia EA, Welk GJ and Meredith MD. Physical education and school contextual factors relating to students' achievement and cross-grade differences in aerobic fitness and obesity. *Research quarterly for exercise and sport*. 2010;81:S53-64.
16. Faulkner G, Zeglen L, Leatherdale S, Manske S and Stone M. The relationship between school physical activity policy and objectively measured physical activity of elementary school students: a multilevel model analysis. *Archives of public health = Archives belges de sante publique*. 2014;72:20.

17. Bassett DR, Fitzhugh EC, Heath GW, Erwin PC, Frederick GM, Wolff DL, Welch WA and Stout AB. Estimated energy expenditures for school-based policies and active living. *American journal of preventive medicine*. 2013;44:108-13.
18. Hales D, Stevens J, Murray DM, Taber DR and Roberts A. Identifying state-level policy and provision domains for physical education and physical activity in high school. *The international journal of behavioral nutrition and physical activity*. 2013;10:86.
19. Kodama S, Saito K, Tanaka S, Maki M, Yachi Y, Asumi M, Sugawara A, Totsuka K, Shimano H, Ohashi Y, Yamada N and Sone H. Cardiorespiratory fitness as a quantitative predictor of all-cause mortality and cardiovascular events in healthy men and women: a meta-analysis. *JAMA : the journal of the American Medical Association*. 2009;301:2024-35.
20. Bouchard C, Shephard, R. Physical activity, fitness and health: the model and key concepts. In: C. Bouchard, Shephard, R., Stephens, T., ed. *Physical activity, fitness and health* International proceedings and consensus statement: Human Kinetics; 1994: 77-78.
21. Chiriqui J, Schneider, L., Chaloupka, F. School district wellness policies: evaluating progress and potential for improving children's health three years after the federal mandate, school years 2006-07, 2007-08, 2008-09. 2010;2.
22. International ORC. Public attitudes toward physical education: Are schools providing what the public wants? 2003.
23. LeMasurier G, Corbin, CB. Top 10 reasons for quality physical education. *Journal of Physical Education, Recreation, and Dance*. 2006;77:44-53.
24. Brown T and Summerbell C. Systematic review of school-based interventions that focus on changing dietary intake and physical activity levels to prevent childhood obesity: an update to the obesity guidance produced by the National Institute for Health and Clinical Excellence. *Obesity reviews : an official journal of the International Association for the Study of Obesity*. 2009;10:110-41.
25. Kriemler S, Zahner L, Schindler C, Meyer U, Hartmann T, Hebestreit H, Brunner-La Rocca HP, van Mechelen W and Puder JJ. Effect of school based physical activity programme (KISS) on fitness and adiposity in primary schoolchildren: cluster randomised controlled trial. *BMJ*. 2010;340:c785.
26. Harris KC, Kuramoto LK, Schulzer M and Retallack JE. Effect of school-based physical activity interventions on body mass index in children: a meta-analysis. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*. 2009;180:719-26.
27. Jago R, McMurray RG, Bassin S, Pyle L, Bruecker S, Jakicic JM, Moe E, Murray T and Volpe SL. Modifying middle school physical education: piloting strategies to increase physical activity. *Pediatric exercise science*. 2009;21:171-85.
28. Jansen W, Borsboom G, Meima A, Zwanenburg EJ, Mackenbach JP, Raat H and Brug J. Effectiveness of a primary school-based intervention to reduce overweight. *International journal of pediatric obesity : IJPO : an official journal of the International Association for the Study of Obesity*. 2011;6:e70-7.
29. Kahn EB, Ramsey LT, Brownson RC, Heath GW, Howze EH, Powell KE, Stone EJ, Rajab MW and Corso P. The effectiveness of interventions to increase physical activity. A systematic review. *American journal of preventive medicine*. 2002;22:73-107.
30. Irwin C, Irwin R, Richey P, Miller M, Boddie J and Dickerson T. Get fit with the Grizzlies: a community-school-home initiative to fight childhood obesity led by a professional sports organization. *Studies in health technology and informatics*. 2012;172:163-7.
31. Sanchez-Vaznaugh EV, Sanchez BN, Rosas LG, Baek J and Egerter S. Physical education policy compliance and children's physical fitness. *American journal of preventive medicine*. 2012;42:452-9.
32. Chomitz VR, McGowan RJ, Wendel JM, Williams SA, Cabral HJ, King SE, Olcott DB, Cappello M, Breen S and Hacker KA. Healthy Living Cambridge Kids: a community-based participatory effort to promote healthy weight and fitness. *Obesity (Silver Spring)*. 2010;18 Suppl 1:S45-53.

33. Williamson DA, Champagne CM, Harsha DW, Han H, Martin CK, Newton RL, Jr., Sothorn MS, Stewart TM, Webber LS and Ryan DH. Effect of an environmental school-based obesity prevention program on changes in body fat and body weight: a randomized trial. *Obesity (Silver Spring)*. 2012;20:1653-61.
34. Meyer U, Schindler C, Zahner L, Ernst D, Hebestreit H, van Mechelen W, Rocca HP, Probst-Hensch N, Puder JJ and Kriemler S. Long-term effect of a school-based physical activity program (KISS) on fitness and adiposity in children: a cluster-randomized controlled trial. *PloS one*. 2014;9:e87929.
35. McKenzie T, Sallis JF, Rosengard, P. Beyond the stucco tower: Design, development, and dissemination of the SPARK physical education programs. *Quest*. 2009;61:114-127.
36. Meyer AA, Kundt G, Lenschow U, Schuff-Werner P and Kienast W. Improvement of early vascular changes and cardiovascular risk factors in obese children after a six-month exercise program. *Journal of the American College of Cardiology*. 2006;48:1865-70.
37. Group HS, Foster GD, Linder B, Baranowski T, Cooper DM, Goldberg L, Harrell JS, Kaufman F, Marcus MD, Trevino RP and Hirst K. A school-based intervention for diabetes risk reduction. *The New England journal of medicine*. 2010;363:443-53.
38. Datar A and Sturm R. Physical education in elementary school and body mass index: evidence from the early childhood longitudinal study. *American journal of public health*. 2004;94:1501-6.
39. Shuler F, Lycans, D., Gill, T., Oliashirazi, A. Physical education in West Virginia Schools: Are we doing enough to generate peak bone mass and promote skeletal health? *West Virginia Medical Journal*. 2013;109:66-70.
40. Prevention CfDca. Whole School, Whole Community, Whole Child. 2014.
41. Lisha NE and Sussman S. Relationship of high school and college sports participation with alcohol, tobacco, and illicit drug use: a review. *Addictive behaviors*. 2010;35:399-407.
42. Shore SM, Sachs ML, Lidicker JR, Brett SN, Wright AR and Libonati JR. Decreased scholastic achievement in overweight middle school students. *Obesity (Silver Spring)*. 2008;16:1535-8.
43. Geier AB, Foster GD, Womble LG, McLaughlin J, Borradaile KE, Nachmani J, Sherman S, Kumanyika S and Shults J. The relationship between relative weight and school attendance among elementary schoolchildren. *Obesity (Silver Spring)*. 2007;15:2157-61.
44. Prevention CfDca. The association between school-based physical activity, including physical education, and academic performance. 2010.
45. Roberts CK, Freed B and McCarthy WJ. Low aerobic fitness and obesity are associated with lower standardized test scores in children. *The Journal of pediatrics*. 2010;156:711-8, 718 e1.
46. Van Dusen DP, Kelder SH, Kohl HW, 3rd, Ranjit N and Perry CL. Associations of physical fitness and academic performance among schoolchildren. *The Journal of school health*. 2011;81:733-40.
47. London RA and Castrechini S. A longitudinal examination of the link between youth physical fitness and academic achievement. *The Journal of school health*. 2011;81:400-8.
48. Singh A, Uijtdewilligen L, Twisk JW, van Mechelen W and Chinapaw MJ. Physical activity and performance at school: a systematic review of the literature including a methodological quality assessment. *Archives of pediatrics & adolescent medicine*. 2012;166:49-55.
49. Coe DP, Pivarnik JM, Womack CJ, Reeves MJ and Malina RM. Effect of physical education and activity levels on academic achievement in children. *Medicine and science in sports and exercise*. 2006;38:1515-9.
50. Castelli DM, Hillman CH, Buck SM and Erwin HE. Physical fitness and academic achievement in third- and fifth-grade students. *Journal of sport & exercise psychology*. 2007;29:239-52.
51. Mahar MT. Impact of short bouts of physical activity on attention-to-task in elementary school children. *Preventive medicine*. 2011;52 Suppl 1:S60-4.
52. Donnelly JE and Lambourne K. Classroom-based physical activity, cognition, and academic achievement. *Preventive medicine*. 2011;52 Suppl 1:S36-42.

53. Efrat M. The relationship between low-income and minority children's physical activity and academic-related outcomes: a review of the literature. *Health education & behavior : the official publication of the Society for Public Health Education*. 2011;38:441-51.
54. Rasberry CN, Lee SM, Robin L, Laris BA, Russell LA, Coyle KK and Nihiser AJ. The association between school-based physical activity, including physical education, and academic performance: a systematic review of the literature. *Preventive medicine*. 2011;52 Suppl 1:S10-20.
55. Basch CE. Physical activity and the achievement gap among urban minority youth. *The Journal of school health*. 2011;81:626-34.
56. Ickovics JR, Carroll-Scott A, Peters SM, Schwartz M, Gilstad-Hayden K and McCaslin C. Health and academic achievement: cumulative effects of health assets on standardized test scores among urban youth in the United States. *The Journal of school health*. 2014;84:40-8.
57. Donnelly JE, Greene JL, Gibson CA, Sullivan DK, Hansen DM, Hillman CH, Poggio J, Mayo MS, Smith BK, Lambourne K, Herrmann SD, Scudder M, Betts JL, Honas JJ and Washburn RA. Physical activity and academic achievement across the curriculum (A + PAAC): rationale and design of a 3-year, cluster-randomized trial. *BMC public health*. 2013;13:307.
58. Hillman CH, Erickson KI and Kramer AF. Be smart, exercise your heart: exercise effects on brain and cognition. *Nature reviews Neuroscience*. 2008;9:58-65.
59. Research AL. Active education: Physical education, physical activity, and academic performance. 2007.
60. Telford RD, Cunningham RB, Fitzgerald R, Olive LS, Prosser L, Jiang X and Telford RM. Physical education, obesity, and academic achievement: a 2-year longitudinal investigation of Australian elementary school children. *American journal of public health*. 2012;102:368-74.
61. Hillman CH, Pontifex MB, Castelli DM, Khan NA, Raine LB, Scudder MR, Drollette ES, Moore RD, Wu CT and Kamijo K. Effects of the FITKids randomized controlled trial on executive control and brain function. *Pediatrics*. 2014;134:e1063-71.
62. Castelli DM, Glowacki, E., Barcelona, JM., Calvert, HG., Hwang, J. Active education: Growing evidence on physical activity and academic performance. January 2015.
63. Sallis JF, McKenzie TL, Kolody B, Lewis M, Marshall S and Rosengard P. Effects of health-related physical education on academic achievement: project SPARK. *Research quarterly for exercise and sport*. 1999;70:127-34.
64. Trudeau F, Shephard, RJ. Relationships of physical activity to brain health and the academic performance of schoolchildren. *American Journal of Lifestyle Medicine*. 2010.
65. Medicine Io. Fitness measures and health outcomes in youth. 2012.
66. Carrel AL, Bowser J, White D, Moberg DP, Weaver B, Hisgen J, Eickhoff J and Allen DB. Standardized childhood fitness percentiles derived from school-based testing. *The Journal of pediatrics*. 2012;161:120-4.
67. Pate RR, Welk GJ and McIver KL. Large-scale youth physical fitness testing in the United States: a 25-year retrospective review. *Pediatric exercise science*. 2013;25:515-23.
68. Baroanowski T, Bar-Or, O., Blair, S., Corbin, C., Dowda, M., Freedson, R., Pate, R., Plowman, S., Sallis, J., Saunders, R., Seefeldt, V., Siedentop, D., Simons-Morton, B., Spain, C., Tappe, M., Ward, D. Guidelines for school and community programs to promote lifelong physical activity among young people. *Morbidity and Mortality Weekly Report*. 1997;50:1-36.
69. Slater SJ, Nicholson L, Chriqui J, Turner L and Chaloupka F. The impact of state laws and district policies on physical education and recess practices in a nationally representative sample of US public elementary schools. *Archives of pediatrics & adolescent medicine*. 2012;166:311-6.
70. Education NAFSaP. Comprehensive school physical activity programs. 2008.
71. Education NAFSaP. Is it physical education or physical activity? 2012.
72. Research AL. Increasing physical activity through recess. 2012.

73. Hillman CH, Pontifex MB, Raine LB, Castelli DM, Hall EE and Kramer AF. The effect of acute treadmill walking on cognitive control and academic achievement in preadolescent children. *Neuroscience*. 2009;159:1044-54.
74. Hollar D, Lombardo M, Lopez-Mitnik G, Hollar TL, Almon M, Agatston AS and Messiah SE. Effective multi-level, multi-sector, school-based obesity prevention programming improves weight, blood pressure, and academic performance, especially among low-income, minority children. *Journal of health care for the poor and underserved*. 2010;21:93-108.
75. Howie EK, Newman-Norlund RD and Pate RR. Smiles count but minutes matter: responses to classroom exercise breaks. *American journal of health behavior*. 2014;38:681-9.
76. Findings from a randomized experiment of Playworks: Selected results from cohort. 2012.
77. Bevans KB, Fitzpatrick LA, Sanchez BM, Riley AW and Forrest C. Physical education resources, class management, and student physical activity levels: a structure-process-outcome approach to evaluating physical education effectiveness. *The Journal of school health*. 2010;80:573-80.